Access Within REACH

Reata Education, Access & Care Helpline

A patient access resource for SKYCLARYS









Introducing SKYCLARYS™ (omaveloxolone) 50 mg capsules

SKYCLARYS is the first and only FDA-approved prescription medicine used for the treatment of Friedreich ataxia (FA) in adults and children 16 years of age and older.

SKYCLARYS is taken as 3 capsules once daily.

SKYCLARYS should be taken on an empty stomach at least 1 hour before you eat.

It is important to avoid eating grapefruit or drinking grapefruit juice with SKYCLARYS, as it may affect the way SKYCLARYS works in your body.

Follow your doctor's instructions carefully when taking SKYCLARYS.

The most common side effect of SKYCLARYS is elevated liver enzymes. Other common side effects include:

- Headache
- Nausea
- Stomach pain
- Tiredness
- Diarrhea
- Muscle pain

Tell your doctor if you experience any sudden changes in weight, swelling in your arms, hands, legs, or feet, fast heartbeat, or shortness of breath while taking SKYCLARYS, as this may be a sign of a serious heart condition.

Your doctor will continue to monitor your liver enzymes, as well as your cholesterol and levels of a certain protein in your blood, while taking SKYCLARYS.

Please see Important Safety Information on <u>pages 10 and 11</u>, and full <u>Prescribing Information</u> and <u>Patient Product Information</u>.



REACH Patient Center

The REACH Patient Center is an informational resource for you and your caregivers to explore ways to access prescribed Reata medicines, including SKYCLARYS™ (omaveloxolone) 50 mg capsules.

Within the REACH Patient Center you can find information about:



REACH Enrollment

Before you can connect with a Care Navigator and access REACH support offerings, your doctor must complete and submit a REACH Start Form.



Care Navigators

Care Navigators are available to communicate with you and your healthcare team regarding access.



Specialty Pharmacy

The specialty pharmacy has an important ongoing role in the delivery of your medicine.



Affordability Options

Once enrolled in REACH, Care Navigators may be able to help you explore ways to save on your prescribed Reata medicine.



REACH Enrollment



Getting started

Your doctor **must** complete and submit a Start Form before you can speak with a Care Navigator and access REACH support offerings.

Your doctor may ask you to provide information to complete the patient sections of the form. You or your authorized caregiver will need to sign the form to access support offerings.* You may sign this form at your doctor's office, or a REACH Care Navigator can send you a link to sign electronically.

*You are not required to enroll in REACH to receive a prescription for SKYCLARYS.

Care Navigators



Once enrolled in REACH, **Care Navigators** will help you navigate your journey of starting and continuing with your SKYCLARYS™ (omaveloxolone) 50 mg capsules prescription.

Care Navigators will be your primary point of contact for REACH and may provide answers to questions about your:

- Insurance and copays
- Copay assistance
- At-home prescription delivery
- Options to speak with a pharmacy representative or nurse

You or your healthcare provider can speak with a **Care Navigator** by calling **1-844-98-REACH**.

Care Navigators are available 8 am-8 pm ET, Monday through Friday (except holidays).

Specialty Pharmacy



Your SKYCLARYS™ (omaveloxolone) 50 mg capsules prescription will be delivered to you by a specialty pharmacy

The REACH exclusive specialty pharmacy, Biologics, will contact you to confirm the delivery address and collect any copayments or coinsurance that may be required for each monthly supply of your SKYCLARYS prescription. SKYCLARYS is not available at retail pharmacies such as Walgreens, CVS, etc.

The specialty pharmacy may also contact you to discuss your:

- SKYCLARYS prescription
- Side effect management
- Insurance benefits and copays
- Ability to get copay assistance

Affordability Options



Find out if you are eligible

Options may be available to help you afford your SKYCLARYS prescription whether you are insured, underinsured, or uninsured.*

Once you are enrolled in REACH, you may speak with a **Care Navigator** who can help you explore your eligibility for affordability options by calling 1-844-98-REACH.

*Subject to eligibility and program terms and conditions. REACH affordability options are not healthcare insurance.

REACH (Reata Education, Access & Care Helpline) can support eligible patients throughout the duration of treatment with SKYCLARYS™ (omaveloxolone) 50 mg capsules

4 Steps to Get Started





Physician's Office Submits Prescription and Start Form to REACH*

Once your provider has decided to prescribe SKYCLARYS for you, they will send the Start Form (prescription included) to REACH. Upon receipt, a Care Navigator will contact you to introduce the REACH program services and obtain your consent for participation. The Care Navigator will be the single point of contact for you during the prescription approval process.

*Patients do not need to enroll in all patient support services to access prescribed medication.

At This Step: The welcome call is the first point of contact between you and REACH





Benefits Investigation and Verification

REACH will contact your insurance company to research your coverage benefits for SKYCLARYS and identify specific information and documentation that the insurance company needs to review the prescription request for approval. REACH will share the results with you and your provider.

At This Step: REACH will identify insurance requirements for SKYCLARYS access





Click the QR code to take your REACH resources with you on the go!

4 Steps to Get Started





Prescription Review Process

The physician's office submits all the necessary documentation to the insurance company. REACH will follow up regularly with payers throughout the insurance approval process. Once your insurance approves SKYCLARYS, REACH will contact you to inquire if help is needed in exploring financial assistance options for accessing SKYCLARYS.

At This Step: REACH follows the insurance approval process and can support you with financial assistance for SKYCLARYS™ (omaveloxolone) 50 mg capsules





Receiving Product

A pharmacy representative will contact you to discuss treatment dosing and confirm shipping address.

At This Step: SKYCLARYS will be shipped directly to you using the address provided

Ongoing Support From REACH Specialty Pharmacy*



Customized Ongoing Support

High-engagement support will be offered based on your individual needs.



Product Support

Registered pharmacists and nurse educators are there to help support you throughout your SKYCLARYS treatment journey.

^{*}Support from a REACH clinician is not intended to replace care from your healthcare provider.



Importance of Taking Medication as Prescribed

Medication adherence means agreeing to a treatment plan and consistently taking the medication as prescribed, every time. Following a treatment plan is important, especially for progressive diseases like FA.



Take SKYCLARYS™ (omaveloxolone)
50 mg capsules
exactly as your
healthcare provider
tells you to take it.

However, difficulties can arise that may make sticking to your treatment plan a challenge. These could include:

- Prescription access roadblocks
- Financial hardships
- Forgetting to order refills
- Treatment burnout

When difficulties arise, REACH is here to help you during your SKYCLARYS treatment. REACH offers resources designed to help you improve your health literacy, maximize your prescription benefits, and stay on track with taking SKYCLARYS as prescribed.

Please see Important Safety Information on <u>pages 10 and 11</u>, and full <u>Prescribing Information</u> and Patient Product Information.



Additional Resources

REACH support does not end after getting access to medication.

Registering for REACH means getting access to several additional resources that can help you to stay on track with your SKYCLARYS™ (omaveloxolone) 50 mg capsules treatment. These include:

- Medication counseling and risk assessment
- Emotional and financial support for eligible patients
- Check-in calls from a nurse educator
- SKYCLARYS refill calls from a pharmacy representative

After your doctor prescribes SKYCLARYS and submits a Start Form, the REACH support team works to help you stay informed and address barriers to treatment.

Advocacy Groups

You can also access several advocacy groups to connect with FA support groups, find activities, and join events, including those listed below.*

National Ataxia Foundation (NAF): Dedicated to improving the lives of people with ataxia through support, education, and research. **ataxia.org**

Friedreich's Ataxia Research Alliance (FARA): Committed to raising money for research to develop new treatments for FA, promoting public awareness about FA, and working with professionals to find treatments and a cure. **curefa.org**

Muscular Dystrophy Association (MDA): Committed to improving the lives of people with muscular dystrophy and other neuromuscular diseases through innovations in science and care. **mda.org**

Disclaimer: Organization names and site information are provided for convenience and informational purposes. They are not controlled or endorsed by Reata.



^{*}Additional online support can be found on sites such as Facebook.

SKYCLARYS Important Safety Information

SKYCLARYS™ (skye klar' is) (omaveloxolone) capsules

What is SKYCLARYS?

SKYCLARYS (omaveloxolone) 50 mg capsules is used for the treatment of Friedreich ataxia in adults and children 16 years of age and older.

Before taking SKYCLARYS, tell your healthcare provider about all your medical conditions, including if you:

- have liver problems.
- have a history of heart problems, including heart failure.
- have a high level of fat in your blood (high blood cholesterol).
- are pregnant or plan to become pregnant.
 - It is not known if SKYCLARYS will harm your unborn baby.
 - Women who use hormonal birth control should use another form of birth control such as a non-hormonal intrauterine system or an extra non-hormonal birth control such as condoms while using SKYCLARYS and for 28 days after stopping SKYCLARYS.
- are breastfeeding or plan to breastfeed. It is not known if SKYCLARYS passes into your breast milk. Talk to your healthcare provider about the best way to feed your baby if you take SKYCLARYS.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Some medications interact with SKYCLARYS. Keep a list of your medicines to show to your healthcare provider and pharmacist when you get a new medicine.

What are the possible side effects of SKYCLARYS?

SKYCLARYS may cause serious side effects, including:

- increase in blood liver enzymes. Some people taking SKYCLARYS have had an increase in the level of liver enzymes in their blood. Your healthcare provider will do liver function tests
 - before you start taking SKYCLARYS
 - every month for the first 3 months after starting your treatment with SKYCLARYS
 - during certain times as needed while taking SKYCLARYS

If your liver enzymes increase, your healthcare provider may change your dose during treatment, stop treatment for some time, or completely stop treatment with SKYCLARYS.

SKYCLARYS Important Safety Information (cont'd)

SKYCLARYS™ (skye klar' is) (omaveloxolone) capsules

- increase in a blood protein called B-Type Natriuretic Peptide (BNP). BNP tells how well your heart is working.
 Your healthcare provider will check your BNP levels before your treatment with SKYCLARYS™ (omaveloxolone)
 50 mg capsules. Tell your healthcare provider if you have signs and symptoms of your heart not working well
 such as too much fluid in your body (fluid overload). Signs and symptoms may include:
 - sudden weight gain (3 pounds or more of weight gain in 1 day, or 5 pounds or more of weight gain in 1 week)
 - swelling in your arms, hands, legs, or feet (peripheral edema)
 - fast heartbeat (palpitations)
 - shortness of breath

If you have symptoms of fluid overload that is considered a side effect of SKYCLARYS, your healthcare provider may stop treatment with SKYCLARYS.

 changes in cholesterol levels. Increases in low density lipoprotein cholesterol (LDL-C) or bad cholesterol and decreases in high density lipoprotein cholesterol (HDL-C) or good cholesterol have happened during treatment with SKYCLARYS.

Your healthcare provider will check your cholesterol levels before and during your treatment with SKYCLARYS.

The most common side effects of SKYCLARYS include:

increased liver enzymes (ALT/AST)

tiredness

headache

diarrhea

nausea

· muscle pain

stomach pain

These are not all the possible side effects of SKYCLARYS. Call your doctor for medical advice about side effects.

You are encouraged to report negative side effects of prescription drugs to the FDA.

Visit <u>www.fda.gov/medwatch</u> or call 1-800-FDA-1088. You may also report side effects to Reata Pharmaceuticals, Inc., at 1-800-314-3934.

For additional information about SKYCLARYS, please see the full <u>Prescribing Information</u> and Patient Product Information.

US-SKY-2300092 v2.0



Get Engaged With REACH

Care Navigators are available to communicate with you and your healthcare team regarding access. Visit our website today to get engaged with REACH.



Got Questions?

Click the QR code or visit **ReataREACH.com** to find support for getting access to SKYCLARYS™ (omaveloxolone) 50 mg capsules.

For more information about SKYCLARYS, visit **SKYCLARYS.com**.





